







SHAFTS INVERSION



REBUILDABLE BLADES





- SERIES

TQ

FOUR SHAFTS SHREDDERS





TO FOUR SHAFTS SHREDDERS

Using four-shaft shredders increases operational possibilities in solid waste treatment. TQ shredders combine, in fact, the reliability and strength of twin-shaft shredders

with the possibility of controlling the size of the output material. Built for even very intensive uses, the TQ shredders are the result of a state-of-the-art design aimed at creating efficient and flexible machines. The unique system of interchangeable

shafts and the use of screens with anti-wear treatments has led to a drastic reduction

STEEL **STRUCTURE**



EXTERNAL BEARINGS



INTERCHANGEABLE SELECTION SCREEN



REMOVABLE SHAFTS



AUTOMATIC GREASING



INTEGRATED **MODEM**



SCAN ME! **DISCOVER OUR PRODUCTS**

in operating costs and maintenance work.

| | | ELECTRICAL TRANSMISSION | | | | HYDRAULIC TRANSMISSION | |
|---------------------------|----|-------------------------|--------------|--------------|--------------|------------------------|--------------------|
| MODEL | | TQ 1000 | TQ 1300 | TQ 1800 | TQ 1800 | TQ 1300 | TQ 1800 |
| CUTTING CHAMBER DIMENSION | mm | 865×1000 | 1260×1320 | 1700×1760 | 1700×1760 | 1260×1320 | 1700x1760 |
| MOTOR POWER | kW | 2×15 + 2×22 | 2×22 + 2×30 | 2x37 + 2x55 | 2x55 + 2x75 | 2x30 + 2x37 | 2x55 + 2x75 |
| VERSION | | Electric | Electric | Electric | Electric | Hydraulic | Hydraulic |
| SCREEN | Ø | Customizable | Customizable | Customizable | Customizable | Customizable | Customizable |
| BLADES | | Disc | Disc | Disc | Disc | Disc | Disc / Sectors |
| BLADES THICKNESS | mm | 30 - 40 | 40 - 50 | 60 - 75 | 60 - 75 | 40 - 50 | 60 - 75 / 75 - 100 |















